



INGSUN ENGINEERING SDN BHD

**LOT 4A, 5A, 20 INANAM BARU
KOTA KINABALU, SABAH
88450 MALAYSIA**

TEL: (+60 88) 389816, 389817, 393927, 393937

FAX: (+60 88) 393925

email: sales@ingsunengineering.com

 wa.me/6088393927

G1F GREASE GUNLEVER ACTION WITH FLEXIBLE HOSE

- The Groz Super Value Lever Grease Gun is the go-to choice for general-purpose lubrication up to 6000 PSI in automotive, agricultural, and industrial applications.
- Trusted and favoured by professionals, this grease gun surpasses all others in popularity.
- Equipped with a drop-resistant steelhead with a bulk loader valve that ensures convenient reloading of grease, the gun is easy to prime and use. Just turn the head assembly for the immediate release of trapped air.
- Designed for simplicity, the Super Value Grease Gun can be used with a 14oz. (400gm) grease cartridge or with 500cm³ bulk grease.
- The gun comes with a 12"(300 mm) flexible hose and coupler. Elevate your lubrication tasks with the dependable Groz Super Value Lever Grease Gun.

DEVELOPS UPTO

6,000 PSI
(413 BAR)

DELIVERS UPTO

1 gm / stroke
(1 oz. / 28 strokes)

Box Includes



GREASE GUN




12" (300 mm)
FLEXIBLE HOSE




4 Jaw
COUPLER


Filling Options




CARTRIDGE



FILLER PUMP



SUCTION



BULK


G15 MINI GREASE GUN PISTOL ACTION

- The Groz Mini Grease Gun Pistol Action is a compact tool perfect for use in hard-to-reach lubrication jobs.
- With an ergonomic one-hand pistol grip and push-type operating mechanism, it offers effortless operation.
- The grease gun is designed to be used with 3 oz. (85 gm) grease cartridges. It develops a maximum pressure of 3000 PSI (207 BAR) and provides controlled delivery of 0.60 oz. /40 strokes (0.40 gm/stroke).

DEVELOPS UP TO
3,000 PSI
(207 BAR)

DELIVERS UP TO
0.4 gm / stroke
(0.6 oz. / 40 strokes)

Filling Options



SUCTION GUNS STEEL BARREL

- The Groz Suction Guns are ideal for transferring gear oils in and out of gearboxes, transfer cases, and differentials.
- These rugged transfer guns feature an aluminium die cast head with a 500ml (16oz) capacity steel barrel and a deluxe lip seal that provides maximum suction.
- These guns require no priming and are fully serviceable making them easy to use.
- With their superior quality and design, our Suction Guns are an excellent investment for automotive workshops, garages, and industrial applications involving transfer of non-corrosive liquids and gear oils efficiently and effectively



OIL CANS LEVER TYPE

- The Groz MP series Lever handle Oil Cans with steel pump, are the perfect solution for dispensing oil.
- Designed with a dome-shaped body, the cans have an all-steel construction with seamless drawn bodies from a tin-coated sheet in a premium red powder-coated finish.
- The metal pump with two ball valves delivers large volume per stroke, while the suction valve without a spring prevents malfunctioning due to resinous oil.
- These oil cans come in a range of sizes starting from 200ml(6 oz) all the way upto 1000ml(1quart) with a choice of rigid or flexible spouts

Product Code	Volume
MP22/F	300ml
MP23/F	500ml



GLPBP/04 OIL PUMP LEVER ACTION BARREL PUMP

- The Groz Front Action Drum Pump is a revolutionary pump designed for convenient usage, even on drums placed in inaccessible corners.
- Featuring a unique front-action operation, this pump provides maximum convenience while dispensing fluids.
- The heavy-duty aluminium die-cast pump head with a 2" bung ensures maximum durability, while the brass piston rings provide increased life.
- 100% serviceability with no riveted parts, and a "built-in" nozzle holder for convenient storage of discharge hose, make this pump a must-have for any professional.
- The tool comes complete with a telescopic suction tube on 205 litres (55-gallon) drums, a 1.8m PVC Nitrile delivery hose with a metal nozzle spring and a hose clamp.
- This pump is recommended for use with Diesel, Kerosene, Heating Oils, Motor Oils, Lubricating Oils (up to SAE 90), and other non-corrosive media. Do not use water-based media, antifreeze, solvents, acids, gasoline, etc.



Compatible Fluids



GPGG/1R/M GREASE GUN AIR OPERATED

- The Groz Air Operated Grease Gun - Intermittent (400 gms), a powerful tool designed for factory maintenance, agricultural applications, fleet service, and for use on trucks connected to vehicle air brake compressors.
- Its intermittent mechanism provides precise grease discharge with every press of trigger, ensuring controlled lubrication and preventing over-greasing.
- The heavy duty aluminum die-cast head with an internally honed bore enables rapid action, perfect for fast-paced environments.
- The ergonomic pistol grip and acute angle design make operation easy, even in narrow spaces.
- With a pressure ratio of 40:1, it can develop up to 4,800 PSI (330 Bar), delivering upto 0.90 gm. / shot (1.30 oz. / 40 strokes).
- The grease gun works with 14 oz. (400 gm) cartridges or 500cc bulk containers, providing versatility. The grease gun comes with a 6" (150 mm) steel extension & coupler.
- Simplify your greasing tasks with the Groz's efficient and effective Air Operated Grease Gun-Intermittent (400 gms).

DEVELOPS UPTO
4,800 PSI
(330 BAR)


DELIVERS UPTO
0.9 gm / shot
(1.30 oz. / 40 strokes)

Head Assembly


ALUMINIUM DIE-CAST HEAD



Filling Options




CARTRIDGE



FILLER PUMP



SUCTION



BULK

FLEXIBLE SPOUT PLASTIC MEASURES

- The Groz Flexible Spout Measures are designed for the efficient and accurate transfer of fluids.
- Manufactured from high-density polyethylene, these measures are sturdy and durable for long-lasting use.
- The flexible spout allows for easy pouring and controlled dispensing of fluids.
- These measures are ideal for transferring oils into trucks, heavy vehicles, tractors, engines and transmission systems.
- Note, the Groz Plastic Measures are not intended for commercial usage to measure media for sale. With the Groz Flexible Spout Measures, users can be assured of safe and reliable transfer of fluids.

Product Code	Volume
GMSR/P/F-1	1 litre
GMSR/P/F-2	2 litre
GMSR/P/F-5	35litre

High Density

POLYETHYLENE CONSTRUCTION

Prevents

FLUID CONTAMINATION



DUST CAP



SPOUT CAP



WOD/68A WASTE OIL DRAIN

- The Groz Pressurized Waste Oil Drain is a top-of-the-line solution for gravity draining of motor oil, engine oil, gearbox, and differential oils from motor vehicles placed on an auto lift or a pit.
- Our waste oil drain with an all steel construction and reinforced castors is designed for easy mobility even in uneven workshop conditions.
- The 10-litre (10.50 qt.) capacity bowl is centrally mounted for optimal positioning and can be easily adjusted for applications at different heights.
- The 14" (355mm) telescopic bowl can be adjusted from 45" (1143 mm) to 72" (1828 mm) to suit any operation.
- The 68-litre (18-gallon) tank includes a preset air regulator that allows standard compressed air up to 150 PSI (10 BAR) and a reinforced dispensing hose doubles as a sight gauge to prevent overfilling.
- With a safety valve and easy pressurized evacuation, our Waste Oil Drain Pressurized is the ideal solution for efficient oil draining and maintenance operations.



GFAU/3-4 DRUM FAUCET/TAP

- The Groz Drum Faucets / Taps with Bucket Hanger are the perfect solution for conveniently dispensing media from 210 litre / 55 gal. drums.
- These faucets are made of polyethylene in two sizes – one for 3/4" openings and another for 2" threaded openings.
- These taps facilitate easy dispensing of fluids under gravity flow with the drum laid horizontally.
- The 2" faucet is designed with a sight glass port to mount sight glass to check fluid levels.
- The drum faucets have a built-in bucket hanger, perfect for workshops, garages, and factories.
- These faucets are easy to install and operate and are suitable for various media, including oils, solvents, and chemicals.
- They are ideal for Groz drum cradles, trolleys, and dollies, ensuring convenient media dispensing without spillage or wastage.



GHC14/4/B GREASE COUPLERS WITH BALL CHECK

- The Groz Professional Hydraulic Couplers are designed to provide quick, positive, and leak-proof connection with grease fittings.
- The hardened coupler body withstands high pressures without deformation, and the fully hardened spring steel jaws ensure that the coupler securely attaches to the grease fitting providing a leak-proof seal for efficient performance.
- The coupler features a spring-loaded ball check valve that helps retain pressure.
- The hexagonal nut allows easy tightening, connecting, and disconnecting of the coupler from the grease fittings
- Built with durability in mind, this range of couplers is ideal for use with all hand-operated Grease Guns.



BLG/1 BRASS TRANSFER PUMP

Pump with Discharge Hose & Suction hose for dip stick hole

- The Groz's Portable Brass Transfer Pumps, a testament to precision and reliability in liquid transfer.
- Crafted with non-corroding premium brass and hand-removable NBR caps, these compact and lightweight pumps redefine convenience for clean and quick transfers of various media. Ideal for engine oil, coolants, transmission fluid, and more, these self-priming pumps, fully serviceable with no threaded parts, offer efficiency in a portable design.
- The pump is available in two variants pump with discharge hose and pump with discharge hose & suction hose, delivery hose for dip stick hole. From cars and boats to motorcycles and ATV's,
- The Groz brings you a versatile solution for hassle-free fluid transfers, embodying precision in the palm of your hand.



ADJUSTABLE TAP & REAMER WRENCHES

Forged Steel Body

- The Groz Adjustable Tap & Reamer Wrenches are industrial quality, extra heavy-duty tools that are perfect for use in a variety of applications.
- The straight handle design provides greater leverage, making it easier to work with large-diameter taps.
- The number 0, 00, 5 & 6 wrenches have a forged steel body, ensuring durability and strength, while the number 7 & 8 wrenches are cast from S.G. Iron for added toughness.
- Our wrenches are designed for precision and reliability, providing the user with the confidence to tackle even the most demanding tasks.
- Whether you are a professional mechanic or just looking for high-quality tools for your personal projects, Groz Adjustable Tap & Reamer Wrenches are a great investment.

Product Code	Size
GARWR/SG/0	M1-M12
GARWR/SG/5	M4-M16
GARWR/SG/6	M4-M20
GARWR/SG/7	M6-M30

Straight Handle Design

PROVIDES GREATER LEVERAGE



HPL/10-ST HOLLOW PUNCH SET

- The Groz Hollow Punches are designed to punch holes in gasket material, leather, rubber, canvas, cardboard, plastic, and other soft materials. With a unique cutting design, they prevent material jamming and ensure smooth operation.
- The cutting edges are induction-hardened for extended durability, ensuring long life.
- Crafted from a single piece of machined steel, these cylindrical punches are robust and reliable. Ranging from 3/32" to 1" (2mm to 25mm) in diameter,
- The Groz Hollow Punches are accurate and efficient, making them an essential tools for precision punching tasks wide range of applications.

INCLUSIONS

1. 1/4" Hollow Punch
2. 5/16" Hollow Punch
3. 3/8" Hollow Punch
4. 7/16" Hollow Punch
5. 7/32" Hollow Punch
6. 9/16" Hollow Punch
7. 5/8" Hollow Punch
8. 3/4" Hollow Punch
9. 7/8" Hollow Punch
10. 1" Hollow Punch



HOLLOW PUNCHES

- The Groz Hollow Punches are designed to punch holes in gasket material, leather, rubber, canvas, cardboard, plastic, and other soft materials. With a unique cutting design, they prevent material jamming and ensure smooth operation.
- The cutting edges are induction-hardened for extended durability, ensuring long life.
- Crafted from a single piece of machined steel, these cylindrical punches are robust and reliable. Ranging from 3/32" to 1" (2mm to 25mm) in diameter,
- The Groz Hollow Punches are accurate and efficient, making them an essential tools for precision punching tasks wide range of applications.

Product Code	Hole Dia meter	
	Inch	MM
HPL/2	3/32	2
HPL/3	1/8	3
HPL/4	5/32	4
HPL/5	3/16	5
HPL/6	1/4	6
HPL/7	9/32	7
HPL/8	5/16	8
HPL/9	23/64	9
HPL/10	3/8	10
HPL/11	7/16	11
HPL/12	1/2	12
HPL/13	17/32	13
HPL/14	9/16	14
HPL/15	19/32	15
HPL/16	5/8	16
HPL/17	11/16	17
HPL/18	23/32	18
HPL/19	3/4	19
HPL/20	13/16	20
HPL/21	27/32	21
HPL/22	7/8	22
HPL/23	29/32	23

Product Code	Hole Dia meter	
	Inch	MM
HPL/24	15/16	24
HPL/25	1	25
HPL/28	1-3/32	28
HPL/30	1-3/16	30
HPL/32	1-1/4	32
HPL/33	1-5/16	33
HPL/34	1-11/32	34
HPL/35	1-3/8	35
HPL/36	1-13/32	36
HPL/38	1-1/2	38
HPL/40	1-9/16	40
HPL/42	1-21/32	42
HPL/43	1-11/16	43
HPL/44	1-23/32	44
HPL/45	1-25/32	45
HPL/46	1-13/16	46
HPL/48	1-7/8	48
HPL/50	2	50
HPL/52	2-5/64	52
HPL/55	2-3/16	55
HPL/60	2-3/8	60



STEEL STAMPS LETTER PUNCH / NUMBER PUNCH

- For hand held, hammer struck applications
- Manufactured from select quality carbon steel. Induction hardened, which gives durability and extended life for repeated use
- Hardness at the stamping end is maintained at 58-62 HRC, the striking end is tempered to 35-42 HRC.
- This prevents the punch from splintering during use The striking end is chamfered to prevent breakage and accidents due to flying splinters

PRODUCT CODE	SIZE
GLP/3	3MM
GLP/4	4MM
GLP/5	5MM
GLP/6	6MM
GLP/8	8MM
GLP/10	10MM
GLP/12	12MM
GNP/3	3MM
GNP/4	4MM
GNP/5	5MM
GNP/6	6MM
GNP/8	8MM
GNP/10	10MM
GNP/12	12MM



GLP-LETTER PUNCH



GNP-NUMBER PUNCH

MPRY/3/ST PRY BARS POCKET SIZED

- The Groz Pocket Pry Bars are designed for use in automotive, electrical, and general workshop applications, for removing seals, plastic clips, O-rings, interior trim pieces, and plastic caps.
- Manufactured from high tensile 3/16" diameter alloy steel, these 5"(125mm) long bars are suitable for working in tight spaces and providing leverage in close quarters.
- The bars come with an ergonomic poly acetate handle for superior comfort and secure grip with a stainless steel pocket clip making it easy to carry them safely.
- Available as a set of three:
- A straight prybar, 55° angled prybar that provides a greater range of motion for prying and lifting up components, and a 27° angled prybar, ideal for use in confined spaces.

INCLUSIONS

1. Straight Pry Bar
2. Angled Pry Bar 27°
3. Angled Pry Bar 55°



PRY BARS ROLL HEAD

PRODUCT CODE	SIZE
GPRY/12	12 "
GPRY/16	16"



PRY BARS WITH HANDLE

PRODUCT CODE	SIZE
HPR/8	8"
HPR/12	12"





VEE BLOCK CAST IRON

- The Groz Cast Iron Vee Blocks are made from high-quality cast iron and are designed to withstand rigorous use.
- They are precisely ground and machined to be square and parallel, ensuring accuracy in all your work.
- The Vee's are 90° centered, providing a perfect reference for the workpiece.
- Our Cast Iron Vee Blocks are designed to be used for holding large jobs where clamping is not necessary, making them ideal for a variety of applications.
- Whether you're working on drilling, milling, or grinding operations, these blocks will provide you with a stable and secure base for your workpiece.
- These are supplied in numbered pairs, so you'll always have a matching set for your work. With their precision, versatility, and durability, these blocks are a must-have tool for mechanics and technicians looking for rugged durability and accuracy.

Product Code	Length (A)		Width (B)		Height (C)		Width (D)	
	(inch)	(mm)	(inch)	(mm)	(inch)	(mm)	(inch)	(mm)
VB/C/2	2	50	1	22	1-1/4	32	1	24
VB/C/3	3	75	1-3/4	45	2-3/8	60	1-5/16	33
VB/C/4	4	100	2-3/16	56	2-9/16	65	1-9/16	40
VB/C/5	5	125	2-7/16	62	3-1/8	78	2	50
VB/C/6	6	150	3-1/6	78	3-1/2	88	2-7/16	62
VB/C/8	8	200	4-1/2	113	5-1/2	140	4	100
VB/C/10	10	250	5	125	6-1/2	165	5	125
VB/C/12	12	300	5-1/8	128	8	200	6	150

Vee's are 90°
CENTERED IN TRUE



SHFG/4/16/CU SLEDGE HAMMERS FIBRE-GLASS HANDLE 4LBS (1.8KG)


- The Groz Copper Head Sledge Hammer with Fiberglass handle is the ultimate safety tool, designed for mining and automotive applications.
- Forged from 99.9% pure copper, the spark-free hammer head reduces the marring of struck surfaces.
- The lightweight yet sturdy dual-injection moulded fiberglass handle with a 25% wider neck provides ultimate overstrike protection.
- The handle comes with a polypropylene jacket and a non-slip TPR grip for vibration and shock absorption.
- The handle is secured to the head using epoxy adhesive which can withstand rough usage.
- With an optimized head-to-handle ratio the hammers offer controlled and balanced blows each time.
- These hammers are used in flammable and explosive applications such as mining, petrochemicals, oil and gas pipelines, rigs, and in metal forming.




INSIDE CALIPERS SPRING TYPE

- The Groz Spring Calipers are versatile tools designed for comparative measurements.
- Manufactured from selected steel these feature a spring joint for precise settings.
- The legs pivot on a roller and are tensioned by a bow spring, which allows for accurate adjustments.
- The fulcrum stud of our calipers has a large bearing surface, which prevents side deflection of the legs, and the adjustment is made by opening and closing the legs using an adjusting nut.
- Inside calipers are used for gauging the inner diameter of an opening and then transferring that measurement to a ruler.

PRODUCT CODE	SIZE
ID/4	4"
ID/6	6"
ID/8	8"
ID/12	12"
ID/18	18"
ID/24	24"



Used to Measure
INTERNAL DIAMETER



OUTSIDE CALIPERS SPRING TYPE

- The Groz Spring Calipers are versatile tools designed for comparative measurements
- Manufactured from selected steel these feature a spring joint for precise settings.
- The legs pivot on a roller and are tensioned by a bow spring, which allows for accurate adjustments.
- The fulcrum stud of our calipers has a large bearing surface, which prevents side deflection of the legs, and the adjustment is made by opening and closing the legs using an adjusting nut.
- Outside calipers is a useful measurement transfer tool when working with round stock or oddly shaped materials and then transferring that measurement to a ruler.

PRODUCT CODE	SIZE
OD/4	4"
OD/6	6"
OD/8	8"
OD/12	12"
OD/18	18"
OD/24	24"



**Used to
Inspect**
EXTERNAL DIAMETER



3" (75 mm)

